

HYBRID UTILITY UPDATE

EMBARGO
DECEMBER 5, 2023
3 PM CET



1

EXECUTIVE SUMMARY

P. 4

2

PRODUCTS SPECIFICATIONS

P. 7



HU 1900 SPLINE®



U 533



U 623



U 663

1

EXECUTIVE SUMMARY




DT SWISS

HYBRID UTILITY UPDATE

We are happy to present you the update of the hybrid utility portfolio. Due to the latest developments in electric motors and in pedelec concepts, it is possible to transport even larger loads while covering longer distances, often also on rougher tracks. However, this results in higher loads and charge on the wheels and their components. Hybrid Utility wheels by DT Swiss have been specifically developed and tested to cope with these increased physical strains. With an approved maximum system weight of 180 kg, the wheels provide long-lasting reliability and trust to the user.

With this update, Hybrid Utility component rims are now available in a wide range of sizes: 20", 26", 27.5" and 29" to support the growing variety of utility bikes.



2

PRODUCTS SPECIFICATIONS

HU 1900 SPLINE®

FRONT WHEEL	5 / 100 mm 15 / 110 mm Boost
REAR WHEEL	5 / 135 mm 12 / 148 mm Boost
HUB BRAKE INTERFACE FREEHUB BODY OPTIONS	370 HYBRID Straightpull with 18T Ratchet LN System Disc, Center Lock Shimano Micro Spline, Shimano MTB
RIM RIM DIMENSION	Aluminum, pinned rim joint, hooked bead, tubeless ready 584 x 30 mm 622 x 25 mm 622 x 30 mm
RIM HEIGHT	22 mm
SPOKE FRONT SPOKE REAR NIPPLES LACING	DT hybrid 1 DT hybrid 1 DT Squorx Pro Lock aluminum 28 x 3-cross
WEIGHT FRONT / REAR	From: 1086 g / 1233 g
MAX SYSTEMWEIGHT	180 kg
ASTM CLASS	2
ACCESSORIES INCLUDED	DT Swiss tubeless ready tape (mounted), valve adapter AV to SV, quick release, endcap kit
PRICE	From 449 € / 579 \$



U 533

RIM DIAMETER	26" 27.5" / 650B 29" / 700C
MATERIAL	Aluminum
RIM JOINT	Pinned
TIRE INTERACE	Hooked / Crotchet tubeless TC
INNER WIDTH	22 mm
HEIGHT	20,5 mm
HOLES	28, 32
WEIGHT	From 575 g
MAX SYSTEMWEIGHT	140 kg
ASTM CLASSIFICATION	2
ACCESSORIES INCLUDED	-
PRICE	From 44,90 € / 59.90 \$



U 623

RIM DIAMETER	29" / 700C
MATERIAL	Aluminum
RIM JOINT	Pinned
TIRE INTERACE	Hooked / Crotchet tubeless TC
INNER WIDTH	25 mm
HEIGHT	22 mm
HOLES	28, 32
WEIGHT	From 685 g
MAX SYSTEMWEIGHT	180 kg
ASTM CLASSIFICATION	2
ACCESSORIES INCLUDED	Valve adapter AV to SV
PRICE	From 44,90 € / 59,90 \$



PRODUCT PAGE (available from December 5, 2023)

www.dtswiss.com/en/components/rims-mtb/hybrid-utility/u-623

U 663

RIM DIAMETER	20" 26" 27.5" / 650B 29" / 700C
MATERIAL	Aluminum
RIM JOINT	Pinned
TIRE INTERACE	Hooked / Crotchet tubeless TC
INNER WIDTH	30 mm
HEIGHT	22 mm
HOLES	28, 32, 36
WEIGHT	From 500 g
MAX SYSTEMWEIGHT	180 kg
ASTM CLASSIFICATION	2
ACCESSORIES INCLUDED	Valve adapter AV to SV
PRICE	From 44,90 € / 59,90 \$





YOUR **CONTACT**

For more information, please contact your
DT Swiss representative or contact us directly.

FRISO LORSCHIEDER
MTB MARKETING MANAGER
+ 41 32 344 67 54
florscheider@dtswiss.com

DT SWISS AG
Längfeldweg 101
2504 Biel/Bienne
Switzerland

DT ***SWISS*** *ENGINEERING PERFORMANCE*